



**Works:**

Plot Nos. 88/89, Phase II C, Verna Industrial Estate,

Verna, Goa - 403 722, INDIA.

Tel.: (0832) 6624501-02, 6682000, Fax: (0832) 2783139.

E-mail: qualpro@tulipgroup.com

## MATERIAL SAFETY DATA SHEET

### 1 INFORMATION OF THE SUBSTANCE/PREPARATION AND COMPANY

1.1. Product name                      QUALISA DENGUE IgM

Catalogue No.                      404090096

Kit components

- Microwell strips
- Microwell holder
- Pack insert
- Protocol Sheet
- Plate sealer
- Sample Diluent
- Negative Control
- Positive Control
- Conjugate
- Conjugate diluent
- Substrate
- Wash Buffer
- Stop Solution

1.2. Intended use                      In Vitro Diagnostic Use

1.3. Company                              Qualpro Diagnostics  
 A Division of TULIP DIAGNOSTICS (P) Ltd.  
 Plot No. 88/89, Phase II C,  
 Verna Industrial Estate,  
 Verna, Goa 403 722  
 INDIA  
 Telephone :            +91-832-6682000  
 Fax :                      +91-832-2783139  
 E-mail : qualpro@tulipgroup.com

1.4 In emergencies                      Call your local emergency center

### 2 COMPONENTS AND HAZARDOUS INGREDIENTS

| Kit Component    | HAZARDOUS INGREDIENT        | CLASSIFICATION SUBSTANCE | EINECS NR. |
|------------------|-----------------------------|--------------------------|------------|
| Microwell strips | material from animal origin |                          |            |
| Conjugate        | material from animal origin |                          |            |



**Qualpro Diagnostics**

A Division of Tulip Diagnostics (P) Ltd.

Corporate Office: Gitanjali, Tulip Block, Dr. Antonio Do Rego Bagh, Bambolim Complex

Post Office, Goa - 403 202, INDIA. Tel.: (0832) 2458546-51, Fax: (0832) 2458544.

E-mail: sales@tulipgroup.com, Website: www.tulipgroup.com

