



Haematology

Micropress[®]

Material Safety Data Sheet

(According to 2001/58/EC)

Doc. No. MSDS/MX-002H

Section 1 - Product and Company Information

Product Name: Sicklevue

Catalog No.: M-810020

Manufacturer: Micropress[®]
A Division of Tulip Diagnostics (P) Ltd.

Manufacturing Unit Address: Plot No. S-124, S-125, S-126, Utility Plot No. VIII,
Phase III-B, Verna Industrial Estate, Verna,
Goa-403 722, INDIA.

Registered Office Address: Gitanjali, Tulip Block, Dr. Antonio Do Rego Bagh,
Alto Santacruz, Bambolim Complex P.O.,
Goa-403202. INDIA.
E-mail : sales@tulipgroup.com

Date Prepared / Revised on: 20/10/2018

Section 2 - Components

Pack Size	20 Test
R1	2 x 20 mL
R2	2 vials
Empty reaction tubes	20 Nos.
Result reading stand	1 No.
Reagent dropper	2 Nos.
Sample dropper	20 Nos.
Rubber teat	2 Nos.
Pack insert	1 No.

R1 – Solubility Buffer (Phosphate buffer solution contains red cell lysing reagent with stabilizers and preservatives)
R2 – Solubility Reagent Powder (Sodium Dithionite)

Section 3 – Hazards Identification

Hazard Overview: Not classified as hazardous

Section 4 – First Aid Measures

Inhalation: Seek medical treatment in case of problems.
Ingestion: If symptoms persist, consult a physician.
Skin Contact: Wash thoroughly with soap and water.
Eye Contact: Rinse opened eye for several minutes under running water. If symptoms persists consult a physician.

Section 5 – Fire Fighting Measures

Suitable Extinguishing Agents: CO₂, ABC multipurpose dry chemical or water spray. Fight large fires with water spray or alcohol resistant foam.
Protective Equipment: No special measures required.

Section 6 – Accidental Release Measures

Personal Precautions: No special measures required.
Spill: Sweep up into suitable containers for disposal. Use water to clean up finally.

Section 7 – Handling and Storage

Handling: Avoid inhaling dust. Avoid contact with eyes, skin and clothing.
Storage: Keep container tightly closed. Store at 02-30°C.

Section 8 – Exposure Control / Personal Protection

Wear appropriate NIOSH / MSHA -approved respirator, chemical-resistant gloves, safety goggles, other protective clothing. Mechanical exhaust required.

Section 9 – Physical and Chemical Properties

Components	Appearance
R1-Solubility Buffer	Colourless liquid
R2-Solubility Reagent Powder	White coloured powder
Empty Reaction Tubes	2 mL plain, transparent, marked, empty tubes
Result Reading Stand	White coloured paper stand with black slanting lines and six holes to hold the reaction tubes.
Reagent dropper	Transparent low-density polyethylene graduated pasteur pipettes
Sample dropper	Polypropylene sample dropper
Rubber Teat	Rubber Teat for Polypropylene sample dropper
Section 10 – Stability and Reactivity	
<p>Stability: Product is stable if stored as per the conditions specified under storage of Section 7. Product loses its potency/performance if kept long time above the temperature mentioned in Section 7.</p> <p>Conditions to Avoid: Heat and Light.</p> <p>Decomposition Products: No dangerous decomposition products known.</p>	
Section 11 – Toxicological Information	
<p>Effects of Skin Contact: No irritating effects.</p> <p>Effects of Eye Contact: No irritating effects.</p> <p>Effects of Ingestion: No irritating effects.</p> <p>Effects of Inhalation: May be irritating if inhaled.</p> <p>Sensitization: No sensitization effects known.</p> <p>Target Organs: None.</p> <p>Additional Toxicological Information: None.</p>	
Section 12 – Ecological Information	
Ecotoxicity: Not Determined.	
Section 13 – Disposal Considerations	
On completion of work all used or unusable preparations of this product and derivatives thereof are to be disposed off by autoclaving and/or by incineration. Dispose off waste in accordance with all applicable Federal, State and local laws.	
Section 14 – Transport Information	

UN No.: Not applicable.

Section 15 - Regulations

Warning Label Text Indication Of Hazard with Symbol: None.

Risk Phrases: None.

Safety Phrases: None.

Section 16 - Other Information

This product is for use by professionals.
To the best of our knowledge the above mentioned information is accurate.
However, Microxpress[®], A Division of Tulip Diagnostics (P) Ltd. makes no warranty with respect to its completeness nor assumes any liability resulting from its use. All material may present unknown hazards than those described above and should be used with caution. Final determination of suitability of any material is the sole responsibility of the user.

Microxpress[®]

A Division of **Tulip Diagnostics (P) Ltd.**

Manufacturing Unit : Plot No. S-124,S-125, S-126, Utility Plot No. VIII, Phase III-B,
Verna Industrial Estate, Verna, Goa- 403722, INDIA.

Tel: + 91 832 6624555

E-mail: microxpressfac@tulipgroup.org

Registered Office : Gitanjali, Tulip Block, Dr. Antonio Do Rego Bagh, Alto Santacruz, Bambolim
Complex P.O., Goa-403202, INDIA.

Tel: +91 832 2458546/47/48/49/50/51 Fax: +91 832 2458544

E-mail: sales@tulipgroup.com; Website : <http://www.tulipgroup.com>

EC

REP

CMC Medical Devices & Drugs S.L.,C/Horacio Lengo No. 18, CP 29006, Malaga, Spain